



C 70 SLIDING DOOR - PVC

ENERGY EFFICIENCY

Thermal Transmission Coefficient

U_w from 1.3 (W/m²K)

Please consult typology, dimensions and glazing.

ACCOUSTIC INSULATION

Maximum glazing: **24 mm**

Maximum acoustic insulation: **Rw = 38 dB**

CATEGORIES ACHIEVED AT TEST CENTRE

Protection against atmospheric agents

Air permeability (EN 12207): **Class 4**

Water tightness (EN 12208): **Class 7A**

Wind resistance (EN 12210): **Class C5**

Reference test window 1.23 x 1.48 m. 2 sashes.

SECTIONS	Frame 70 mm Sash 46 mm	OPENING POSIBILITIES	Sliding door 2, 3, 4 and 6 sashes.
CLASIFICACION	Profile thickness Class A ≥ 2.8 mm Weather Severe weather Impact Class II	FINISHES	Optionally bicoloured White Coloured wrapping Wood-imitation wrapping
MAXIMUM DIMENSIONS	Window Width (L) = 1400 mm Height (H) = 1800 mm Balcony Width (L) = 2000 mm Height (H) = 2500 mm		
MAXIMUM WEIGHT/SASH	Window 70 Kg Balcony 200		

Please consult maximum dimensions according to types.

